Receiving Report

| D | ate: <u>/4/3/7</u> | <u> </u> | | Batch No: | mla | 8 430 | o |
|------------------------------------------------------------------------|-----------------------------|---------------------|---------------------|----------------------|-----------------------|----------------------|-------------------------|
| S | upplier: <u>B&</u> | A PERU | • | Dart P/O: | _23 | 260 | |
| Packing Slip: Invoice: Receipt: New Supplier Discrepancies | Yes No No Cash Cr Yes No No | | Waybill At Shipment | Complete: pection | Yes | No | |
| Part Number | Description | Quantity Ordered | Quantity Rec'd | Quantity Short | Quantity Inspected | Quantity Rejected | Comment / NCR Number |
| MEDO | 1) Ally/ | رج | c | 30 | | | |
| | | | | | | 1 | |
| | | | | | | | |
| | | | | | | | |
| Production/Adr | | | | nitials of | Receiver | QC12 | |

H:\FORMS\Purchasing\approved purch\RECREPORT Rev F



Luci Luciospace Luc. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

Purchase Order ID PO23260

Purchase Order Date 3/6/2014 PO Print Date 3/6/2014

Page Number 1 of 2

Order From:

B/E AEROSPACE INC 88289 EXPEDITE WAY CHICAGO, IL 33172 USA

VU-BEA001

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

305-925-2600

FedEx PI collect

Buyer

Michael Gregoire

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

Ship Via: Ship Acct:

Ship To Phone


M148430

| | | | | | | /N/38 | 7 3 3 |
|-------------|-----------------------------------------------------------------------|------------------------|--------------------------------------|----|--------------------------------|---------------|-------------------|
| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
| 1 1 32 | MS20392-1R37 つう | PIN,Drilled | 3/6/2014 Yes 3/6/2014 | FN | 30.00 Each | \$9.11 | \$273.30 |
| | | | | | | Line Total: | \$273.30 |
| 2 3 | MS2039 2 -2 R 41 | PIN | 3/12/2014 Yes 3/12/2014 | | 30.00 Each | \$9.11 | \$273.30 |

Line Total:

\$273.30

Note:







Process Certification of Conformance

14024 South Avalon Boulevard Los Angeles, CA 90061-2692 Certification# 53353 9760 532-3633 9760 532-3634 www.vimplaing.com

SOLD TO Eagle Machine & Fasteners, Inc. 120 South Franklin Street Greenfield IN 46140 (317) 477-2440 John

SHIP TO

| | ICE NUMBER PURCHASE ORDER NUMBER | | | | DATE | | |
|----------|--------------------------------------|-------------|---|------------------|----------|--------------------------|---------------|
| 073623 | | 8211 | | | 09-12-11 | | |
| QUANTITY | | PART NUMBER | · | ITEM DESCRIPTION | | QUANTITY ACCEPTED REJECT | |
| 512 | 512 MS20392-1R37 LOT# 73R1-532006 | | | CLEVIS PIN | | 512 | REJECTED 0 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | 1 | |
| | | | | | | | |
| | | | | | | | |

We hereby certify that the above listed parts have been processed by V & M Plating Co. per customer p.o. and/or blue print instructions and the following applicable specifications, which are on file and available for examination:

STRESS RELIEVED 4 HRS. MIN. @ 375 DEGREES, HARD CHROME PLATED BAKED 12 HRS. MINIMUM @ 375 DEGREES PER QQ-C-320 CL. 2.

MAGNETIC PARTICAL INSPECTION, PASSIVATE OR AN OTHER PROCESS, NOT SPECIFICALLY STATED, HAS NOT BEEN PERFORMED AS PART OF THIS CERTIFIED PROCESS.

V & M PLATINGCO

Anthony Babiak President Authorized Signature



1110 South Drexel Avenue Indianapolis, Indiana 46203 Office 317-357-2368 Fax 317-356-2417

September 3, 2011

This is to certify that the following material received from

EAGLE MACHINE & FASTENERS, INC.

on Purchase Order Number 8602 was processed as indicated:

258 pcs. P/N: MS20392-1R45 Lot #54R1-532006 515 pcs. P/N: MS20392-1R37 Lot #73R1-532006 110 pcs. P/N: MS20392-1R35 Lot #53R1-532006 370 pcs. P/N: MS20392-13P49 Lot #94P31-825006 330 pcs. P/N: MS20392-2R45 Lot #54R2-825006 120 pcs. P/N: MS20392-3P25 Lot #52P3-094006 15 pcs. P/N: MS20392-7P127 Lot #721P7-274006 365 pcs. P/N: MS20392-2R31 Lot # 13R2-825006

Material: PH 13-8 Mo
Heat Treat to 220 - 240 KSI Tensile Per MIL-H-6875
Final HRC: 49

Dalle all

Dallas Alte, Supervisor

CERTIFICATE OF TESTS CERT SERIAL# 000769917

ABNAHMEPRUEFZEUGNIS

CERTIFICAT DE CONTROLI

Da

0

0 0

Carpenter Technology Corporation 101 West Bern Street, Reading, Pa. 19601 Tel: (610) 208-2000 (800) 338-4592

04/08/11

CUSTOMER / BESTELLER / CLIENT

FRY STEEL COMPANY

ATTN: CHIP SANDOVAL 13325 MOLETTE ST

SANTA FE SPRING CA 90670

THE RECORDING OF FALSE FICTICIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW. HITLE 18. CHAPTER 47.

THE VALUES AND OTHER IECHNICAL DATA REPRESENT THE RESULTS OF ANALYSES AND ILSTS MADE ON SAMPLES COLLECTED FROM THE TOTAL LOT ORIGINAL DATA RECORDS CAN BE TRACED BY REFERENCE TO THE CARPENTER ORDER NUMBER.

◆ MATERIAL IS MANUFACTURED FRFF FROM MERCURY, RADIUM, ALPHA AND GAMMA SOURCE CONTAMINATION. THIS OCCUMENT SHALL NOT BE REPRODUCED. EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT

SELLER / VERKÄUFER / VENDEURPAGE

RAN

CUSTOME? ORDER NO./BESTELL-NR./Nº DE COMMANDE CARPENTER NO. /WERKS-NR. / Nº DE REFERENCE INTERNE DATE/DATUM/DATE WEIGHT/GEWICHT/POID 04/08/11 1778.000 46282-1 S# 21240 W83288

HEAT NUMBER / SCHMELZE-NR. / N° DE COULEE :

600235

PRODUCT DESCRIPTION: CARPENTER 13-8 STAINLESS SOLUTION ANNEALED GROUND

ST0160LB0013 REV E (09/01/82) EXCPT LTR (09/17/85) BOEING

PENDING DOUGLAS DMS 2100 GRADE B REV G (09/07/05) DFARS 1998 EDITION

0.265600 IN. (6.75 MM) RD SIZE BAR INGOT 8

PRIMARY HEAT CHEMISTRY (WT%): (TEST METHOD IS SHOWN IN PARENTHESIS)

C (COM)

MN (XRF)

SI(XRF)

P (XRF) 0.006

S (COM)

NI (XRF)

MO(XRF)

AL (XRF)

CR (XRF)

N (OES)

THE CHEMICAL ANALYSIS OF THIS HEAT HAS BEEN PERFORMED BY THE CARPENTER SPECIALTY ALLOYS CHEMICAL LABORATORY, (CODE NUMBER PRI 100004), WHICH WAS ACCREDITED TO THE ISO/IEC 17025.

THIS MATERIAL CONFORMS TO THE TECHNICAL REQUIREMENTS OF THE AMS SPECIFICATION REFERENCED ABOVE.

MILL HEAT TREATMENT:

TYPE TEMP SOLUTION ANNEAL 1701F (927C) 1.00 HOURS WATER

(BATCH FURNACE) TIME

OUENCH

MACROETCH: TESTED TO ASTM-A-604; MAXIMUM VALUES ARE 1A, 2A, 3A, 4A

HARDNESS AS SHIPPED 319HBW (34HRC)

TENSILE AS SHIPPED,

KSI (MPA)

146.0(1007)

MATERIAL ULTRASONICALLY INSPECTED IMMERSION METHOD ACCEPTABLE PER CARPENTER PROCEDURE: B-UT-I-604 REV 4, TECHNICAL ADDENDUM 5 REV 2, WHICH SATISFIES MIL-I-8950 CLASS A, MIL-STD-2154 CLASS A, AND AMS-STD-2154 CLASS A.

US20397-1R37

CONTINUED ON NEXT PAGE

This certification is made to the customer printed on this form. Carpenter neither makes, nor assumes responsibility for, any representation or certification to other parties.

Die vortiegerale Zertifizierung ist nur für den in diesem Formular gerannten Kunden gültig. Carpenter übernimmi gegenüber Dritten keinsriet Hastung für die ausgewiesenen Daten oder Zertifizierungen. Oc certificat est untquement valable pour le client dors le nom est inprinte sur ce formulaire. Carpenter messume pas de responsabilité pour une certification vis-à-vis d'une tience personne.

CERTIFICATE OF TESTS
CERT SERIAL# 000769917

ABNAHMEPRUEFZEUGNIS

CERTIFICAT DE CONTROLE

CARPENTER

Carpenter Technology Corporation 101 West Bern Street, Reading, Pa. 19601 Tel: (610) 208-2000 (800) 338-4592

04/08/11 CUSTOMER/BESTELLER/CLIENT

FRY STEEL COMPANY

ATTN: CHIP SANDOVAL 13325 MOLETTE ST SANTA FE SPRING CA 90670

• THE RECORDING OF FALSE. FICTICIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW. TITLE 18. CHAPTER 47.

CHAPTER 47.

IHE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS (IF ANALYSES AND TESTS MADE ON SAMPLES COLLECTED FROM THE TOTAL LOT. ORIGINAL DATA RECORDS CAN BE TRACFD BY REFERENCE TO THE CARPENTER ORDER NUMBER.

MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHA AND GAMMA SOURCE CONTAMINATION.

• MATERIAL IS MANUFACTURED FIRE FROM MERCORY, RADIUM, ALPHA AND GAMMA SOURCE CONTAINATION.

• INIS DOCUMENT SHALL NOT BE REPRODUCED. EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT
OF CARPENTER TECHNOLOGY CORPORATION.

SELLER / VERKÄUFER / VENDEURPAGE 3 OF

RAN

| CUSTOMFF ORDER NO. BESTELL-NR./Nº DE COMMANDE | CARPENTER NO./WERKS-NR./Nº DE REFERENCE INTERNÉ | DATE/DATUM/DATE | WEIGHT/GEWICHT/POTOS |
|-----------------------------------------------|-------------------------------------------------|-----------------|----------------------|
| 46282-1 S# 21240 | W83288 | 04/08/11 | 1778.000 |

HEATNIMBER/SCHMELZE-NR./N° DECOULEE: 600235

CARPENTER'S QUALITY MANAGEMENT SYSTEM WAS REGISTERED AS OF NOVEMBER 24, 2010 TO THE REQUIREMENTS OF ISO 9001:2008 APPROVAL CERTIFICATE 10-1385R BY PERFORMANCE REVIEW INSTITUTE. CERTIFICATE OF TEST IS PREPARED IN ACCORDANCE WITH PARAGRAPH 3.1 OF EN 10204 (DIN 50049). WE HEREBY CERTIFY THAT THE ABOVE TEST DATA ARE IN ACCORDANCE WITH THE PURCHASE ORDER AND SPECIFICATION REQUIREMENTS.

MARGARET A TURNER ADMINISTRATOR - QUALITY CARPENTER TECHNOLOGY CORPORATION

> FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED

> > APR 18 2011

CHIH BANDOVAL - O.C. MANAGER

Margaret R. Turner

This certification is made to the customer printed on this form. Carpenter neither makes, nor assumes responsibility for, any representation or certification to other parties.

Die vorliegende Zertifizzerung ist nur für den in diesem Formular gerannten Kunden gültig. Carpenter überninnti gegenüber Dritten keinertei Haftung für die ausgewiesenen Daten oder Zertifizierungen.

Ce certificat est uruquement valable pour le client dont ie nom est inprimé sur ce formulaire. Carpenter n'assume pas de responsabilité pour une certification vis-a-vis d'une tience personne.

| | · · · · · · · · · · · · · · · · · · · | | | 0.00 |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------|------|
| • | | | | |
| | | | | |
| | | | | |
| | | | | |
| ÷ | | | | |
| | | | | |
| * v' 3 | | | | |
| | | | | |
| i. | | | | |
| • | | | | |
| | | | | |
| | | | | |
| - | | | | |
| | | | | |
| | | | ; | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| • | | | | |
| ; ; | | | | |
| () - () - () | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | į | |
| | | | | |
| i · | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | , DE | |
| | and the second of the second o | | , . | |
| Later to the second second | And the same of th | | i . | |

Eagle Machine & Fasteners, Inc.

120 South Franklin Street Greenfield, IN 46140 (317) 477-2440 FAX (317) 477-2455

PACKING LIST

INVOICE # 5466

DATE 9/14/2011

SOLD TO

B/E Aerospace, Inc. P.O. Box 025263 Miami, FL 33102-5263

ATTENTION: ACCOUNTS PAYABLE

SHIP TO

B/E Aerospace, Inc. 4050 Lakeview Shores Ct. Earth City, MO 63045

| YOUR ORDER NO. | | TEI | ERMS SHIP VIA | | FOB | | |
|-----------------|---|-----------|-----------------------------------------------------|----|---------------------------|--------------------|--|
| 0ASF30 | | 1% 10 | 1% 10 Net 30 | | UPS/Ground | GREENFIELD IN | |
| ORDERED SHIPPED | | PART NUME | BER DESCRIPTION | | CRIPTION | | |
| 500 1 | | | MS20392-1R37 Drilled, Headed Pin, PH1 Certification | | Drilled, Headed Pin, PH13 | 3-8, Chrome Plated | |
| | · | | | | ¥ | | |
| | | | | | | | |
| | | | | | | | |
| · | | | | | | | |
| | | | | | | | |
| | | <u> </u> | · | | <u> </u> | | |
| | | | Miscellaneou | IS | FREIGHT | | |

Thank You For Your Order. "GOD BLESS AMERICA"

This is to certify that materials contained in, and processes performed on subject parts are in conformance with all applicable specifications and/or purchase order requirments and certifications and/or test reports are on file.

We further certify that these goods were produced in compilance with all applicable requirements of sections 6, 7 and 12 of the Fair Labor Standards Act, as amended and of regulations and orders of The United States Department of Labor issued under section 12 thereof.

Authorized Signature



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO23260

Purchase Order Date 3/6/2014 PO Print Date 3/6/2014

Page Number 2 of 2

Order From:

B/E AEROSPACE INC 88289 EXPEDITE WAY CHICAGO, IL 33172 USA VU-BEA001

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

305-925-2600

Buyer

Customer POID

Michael Gregoire

2000

FedEx PI collect

Customer Tax #

Terms

10127-2607 Net 30

Currency

USD

FOB

FCA - (Free Carrier)

Ship Via: Ship Acct:

71401-45

3

3/12/2014

3/12/2014

No

0.00 Each \$0.00

\$0.00

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS

FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

Line Total:

\$0.00

PO Total:

\$546.60

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explaination.

Change Nbr:

1

Change Date:

3/6/2014

m Lugan



B/E Aerospace, Inc.

Page: 1 of 1

CONSUMABLES MANAGEMENT

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR
www.beconsumables.com

Shipped From: 9835 NW 14TH ST, MIAMI, FL 33172

Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to B/E Aerospace, Inc.

FIRM: DART AEROSPACE LTD

PURCHASE ORDER#: PO23260

LNE# QUANTITY U/M PART-NUMBER

30 EA MS20392-2R41

CUST REF#

LOT-NUMBER

MANUPACTURER

CCODE MFR DATE EXP DATE

810934-00

SATURN FAST.

0K6Z0

Jason Lewis

Vice President of Quality

Inv # 03/07/14





Process Certification of Conformance

14024 South Avalon Boulevard Los Angeles, CA 90061-2692 310 532-5633 • Fax 310 532-5634 www.vmplating.com

CERTIFICATION # 37309 CORRECTED CERT

SOLD

SATURN FASTENERS INC **425 SOUTH VARNEY STREET** BURBANK, CA 91502

SHIP TO

NAME. UFC AEROSPACE / LOT. S10934-00 / PART. MS 20392-2R41 / HEAT. 806601 / PO. PURAM510

| REFERENCE A | IUMBER | PURCHASE ORDER NUMBER | | DATE | | |
|-------------|----------------------|----------------------------------------------|--------|-------------|-----------------------------|---|
| 56666 | | P26635 | | 12-08- | -05 | |
| QUANTITY | QUANTITY PART NUMBER | | ITEM C | DESCRIPTION | QUANTITY ACCEPTED REJECT | |
| 2674 | JOB # | 92-2R41 REV * S10934-00 TREAT # 806601 | PIN | | 2674 | 0 |
| | | QTC T | AT 12 | | | |

We hereby certify that the above listed parts have been processed by V & M Plating Co. per customer p.o. and/or blue print instructions and the following applicable specifications, which are on file and available for examination:

STRESS RELIEVED 4 HOURS HIN AT 375 +/-25 DEGREES, HARD CHROME PLATED AND BAKED 12 HOURS MIN AT 375 +/-25 DEGREES PER AMS-QQ-C-320 N/C CL. 2.

V & M PLATING CO.

VICE PRESIDENT